

Domain Name - studioconsani.net

WhoIs Information

Registered : No

Domain age : 16 Years 8 Months 18 Days

Tech email :
studioconsani.net@contactprivacy.com

Name servers : dns3.arubadns.net

Created at : 14-May-2008

Changed at : 14-Apr-2020

Expire at : 14-May-2021

Registrant name : Contact Privacy Inc.
Customer 0117297772

Admin name : Contact Privacy Inc. Customer
0117297772

Registrant country :  CA

Admin country :  CA

Registrant phone : +1.4165385457

Admin phone : +1.4165385457

Moz information

Subdomain normalized : 0.2474299073

Subdomain raw : 0.02474299073

Url normalized : 4.900000095

Url raw : 0.4900000095

Http status code : 1

Domain authority : 34

Page authority : 49

External quality link : 108

Links : 148

Link information

Backlink count : 108

Total link count : 148

Mozrank : 4.900000095

ARCHITETTURA E

Utilizziamo i cookies per migliorare i servizi e le funzionalità del nostro sito web

ACCETTA



DOTT. ING. BRUNO CONSANI

DOTT. ING. CARLO ALBERTO CONSANI

LEGGI DI PIÙ

Mobile Friendly Check

Performance : 71.49

Emulated Form Factor **Mobile**

Locale **En-US**

Category **Performance**

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. **We are showing The 75th percentile of FCP and The 95th percentile of FID**

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. [Learn more](#)

3.6 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. [Learn more](#)

4.0 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more](#)

5.0 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. [Learn more](#)

4.0 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more](#)

4.4 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task.

[Learn more](#)

90 ms

Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn More](#)

35 requests • 734 KiB

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Potential savings of 3,270 ms

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve static assets with an efficient cache policy

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

31 resources found

Minimize third-party usage

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Third-party code blocked the main thread for 30 ms

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

0 ms

Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. [Learn More](#)

10 ms

First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn More](#)

7087 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

80 ms

JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

0.4 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

0 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn More](#)

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Total size was 734 KiB

Minimizes main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

0.9 s

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn More](#)

Potential savings of 363 KiB

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn More](#)

19 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer [Learn More](#)

158 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

IP Information

ISP : AS31034 Aruba S.p.A.

Ip : 62.149.128.154

Country :  ITALY

City : Arezzo

Region : Tuscany

Timezone : Europe/Rome

Latitude : 43.4628

Longitude : 11.8807

Malware Scan Info

Google safe browser norton : Safe

Norton : untested

Search Engine Index Info

Google index : 3,370

Bing index : 47

Yahoo index : 41

Sites in Same IP

No data to show

Related Websites

1.

Social Network Information - studioconsani.net

Social Network Information

Facebook share : 0

Pinterest Info : 0

Facebook comment : 0

Xing Info : 0

Facebook like : 0

Buffer Info : 0

Reddit Score : 0

Reddit Ups : 0

Reddit downs : 0

Keyword & Meta Information - studioconsani.net

TITLE & METATAGS

Title

Home

Viewport

width=device-width, initial-scale=1.0

Keywords

progettazione, direzione lavori, ristrutturazioni, restauri, estimi, arbitrati, perizie tecniche, Architettura, Ingegneria, civile, edile, Studio

Description

Architettura e Ingegneria: Studio Consani opera nella progettazione di edifici, direzione lavori, ristrutturazioni e restauri di fabbricati, consulenze, estimi, arbitrati e perizie tecnico amministrative

Generator

Joomla! - Open Source Content Management

Blocked by robots.txt : No

Blocked by meta-robots : No

Links nofollowed by meta-robots : No

Total keywords : 346

Html headings

H1(2)

1. Studio Consani

2. Architettura e Ingegneria

H2(0)

No h2 tag found

H3(11)

1. Progettazione di edifici

2. Direzione lavori

3. Consulenze

4. Estimì

5. Arbitrati

6. Ristrutturazioni di fabbricati

7. Restauri di fabbricati

8. Perizie tecnico-amministrative

9. In primo piano

10. Diamo vita ai tuoi progetti

11. Studio Consani

H4(0)

No h4 tag found

H5(0)

No h5 tag found

H6(0)

No h6 tag found

KEYWORD ANALYSIS

== Single word keywords ==

SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM
di	19	5.491 %	No
con	6	1.734 %	No
Consani	5	1.445 %	No
fabbricati	5	1.445 %	No
Progettazione	4	1.156 %	No
che	4	1.156 %	No
tecnici	4	1.156 %	No
la	4	1.156 %	No
aspetti	3	0.867 %	No
il	3	0.867 %	No
del	3	0.867 %	No
legali	3	0.867 %	No
Studio	3	0.867 %	No
studio	3	0.867 %	No
Estimi	2	0.578 %	No
parte	2	0.578 %	No
mediante	2	0.578 %	No
insieme	2	0.578 %	No
Direzione	2	0.578 %	No
sistematico	2	0.578 %	No

== Two words keywords ==

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
di fabbricati	4	1.156 %	No
Progettazione di	4	1.156 %	No
Studio Consani	3	0.867 %	No
sistematico di	2	0.578 %	No
un insieme	2	0.578 %	No
mediante un	2	0.578 %	No
di opere	2	0.578 %	No
opere che	2	0.578 %	No
Direzione lavori	2	0.578 %	No
di edifici	2	0.578 %	No
fabbricati Progettazione	2	0.578 %	No
aspetti tecnici	2	0.578 %	No
Dott Ing	2	0.578 %	No
Perizie tecnicoamministrative	2	0.578 %	No
Home Lo	2	0.578 %	No
Lo studio	2	0.578 %	No
studio Servizi	2	0.578 %	No
Servizi tecnici	2	0.578 %	No
tecnici Portfolio	2	0.578 %	No
Portfolio Contatti	2	0.578 %	No

== Three words keywords ==

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
mediante un insieme	2	0.578 %	No
Home Lo studio	2	0.578 %	No
Lo studio Servizi	2	0.578 %	No
studio Servizi tecnici	2	0.578 %	No
Servizi tecnici Portfolio	2	0.578 %	No
tecnici Portfolio Contatti	2	0.578 %	No
un insieme sistematico	2	0.578 %	No
insieme sistematico di	2	0.578 %	No
Progettazione di edifici	2	0.578 %	No
sistematico di opere	2	0.578 %	No

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
di opere che	2	0.578 %	No
fabbricati Progettazione di	2	0.578 %	No
di fabbricati Progettazione	2	0.578 %	No
l'organismo edilizio e	1	0.289 %	No
edilizio e ad	1	0.289 %	No
Studio Consani Home	1	0.289 %	No
conservare l'organismo edilizio	1	0.289 %	No
a conservare l'organismo	1	0.289 %	No
rivolto a conservare	1	0.289 %	No
e ad assicurare	1	0.289 %	No

== Four words keywords ==

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Home Lo studio Servizi	2	0.578 %	No
Lo studio Servizi tecnici	2	0.578 %	No
studio Servizi tecnici Portfolio	2	0.578 %	No
Servizi tecnici Portfolio Contatti	2	0.578 %	No
mediante un insieme sistematico	2	0.578 %	No
un insieme sistematico di	2	0.578 %	No
insieme sistematico di opere	2	0.578 %	No
sistematico di opere che	2	0.578 %	No
di fabbricati Progettazione di	2	0.578 %	No
Studio Consani Home Lo	1	0.289 %	No
a conservare l'organismo edilizio	1	0.289 %	No
edilizio e ad assicurare	1	0.289 %	No
l'organismo edilizio e ad	1	0.289 %	No
conservare l'organismo edilizio e	1	0.289 %	No
fabbricati intervento rivolto a	1	0.289 %	No
rivolto a conservare l'organismo	1	0.289 %	No
intervento rivolto a conservare	1	0.289 %	No
ad assicurare la funzionalità	1	0.289 %	No
di fabbricati intervento rivolto	1	0.289 %	No

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
restauri di fabbricati intervento	1	0.289 %	No

Alexa Information - studioconsani.net

General information

Domain name : studioconsani.net

Global Rank : No data

Daily Time on Site : No data

Search Traffic : No data

Bounce Rate : No data

Total sites link in : 4,672

Top 5 similar sites by audience overlap

SI	Similar sites	Overlap score
No data found!		

Top 5 keywords by traffic

Keywords	Search Traffic	Share of voice
No data found!		

Top 4 keyword gaps

Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
No data found!		

Top 4 easy-to-rank keywords

Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
No data found!		

Top 4 buyer keywords

Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
---	-----------------------------	---------------------

No data found!

Top 4 optimization opportunities

Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
---	-------------------	------------------------

No data found!

Top 5 referral sites

Sites by how many other sites drive traffic to them	Referral sites
---	----------------

No data found!

Site flow

Visited just before & right after domain	Visited just before & right after domain percentage
--	---

No data found!

Top 5 audience overlap

Similar sites to this site	Site's overlap score	Alexa rank
----------------------------	----------------------	------------

No data found!

Top 3 audience geography

Visitors by country	Visitors by country percentage
---------------------	--------------------------------

No data found!