

Contact: i@seoguide.co |

Website: <https://seoguide.co/>

Generated At: 2021-03-04 20:11:47

Domain Name - www.bginfotech.com

WhoIs Information

Registered : No

Domain age : 0 Years 0 Months 0 Days

Tech email :

Name servers :

Created at :

Changed at :

Expire at :

Registrant name :

Admin name :

Registrant country :

Admin country :

Registrant phone :

Admin phone :

Moz information

Subdomain normalized : 0.1000000015

Subdomain raw : 0.009999999776

Url normalized : 0.8000000119

Url raw : 0.07999999821

Http status code : 403

Domain authority : 1

Page authority : 8

External quality link : 0

Links : 2

Link information

Backlink count : 0

Total link count : 2

Mozrank : 0.8000000119



| Security & Engineering Solutions



Mobile Friendly Check

Performance : 11.31

Emulated Form Factor Mobile
Locale En-US
Category Performance

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. **We are showing The 75th percentile of FCP and The 95th percentile of FID**

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. [Learn more](#)

6.7 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. [Learn more](#)

6.7 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more](#)

8.6 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. [Learn more](#)

13.2 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more](#)

14.4 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task.

[Learn more](#)

250 ms

Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn More](#)

75 requests • 2,170 KiB

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Potential savings of 4,170 ms

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Potential savings of 912 KiB

Serve static assets with an efficient cache policy

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

52 resources found

Reduce the impact of third-party code

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Third-party code blocked the main thread for 540 ms

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

0 ms

Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. [Learn More](#)

40 ms

First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn More](#)

14309 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

640 ms

Reduce JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

2.2 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

0 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn More](#)

Potential savings of 497 KiB

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Total size was 2,170 KiB

Minimize main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

4.1 s

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn More](#)

Potential savings of 239 KiB

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn More](#)

45 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer [Learn More](#)

521 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

IP Information

ISP : AS8560 1&1 IONOS SE

Ip : 217.160.0.227

Country :  GERMANY (DEUTSCHLAND)

City : Frankfurt am Main

Region : Hesse

Timezone : Europe/Berlin

Latitude : 50.1155

Longitude : 8.6842

Malware Scan Info

Google safe browser norton : Safe

Norton : safe

Search Engine Index Info

Google index : 15

Bing index : 11

Yahoo index : 11

Sites in Same IP

1. ninjacoin.org

2. waterwhelm.com

Related Websites

1.

3. vwpensions.pensioncharges.com
4. amaniki.com
5. enetwild.com
6. johann.loefflmann.net
7. scottsstabilizer.com
8. motorhomerentalni.co.uk
9. spursrumours.co.uk
10. IP-Address-Lookup.com

Social Network Information - www.bginfotech.com

Social Network Information	
Facebook share : 0	Pinterest Info : 0
Facebook comment : 0	Xing Info : 0
Facebook like : 0	Buffer Info : 0
Reddit Score : 0	Reddit Ups : 0
Reddit downs : 0	

Keyword & Meta Information - www.bginfotech.com

TITLE & METATAGS
Title
Viewport width=device-width, initial-scale=1
Generator WordPress 5.6.2

Blocked by robots.txt : No

Blocked by meta-robots : No

Links nofollowed by meta-robots : No

Total keywords : 619

Html headings

H1(0)

No h1 tag found

H2(5)

1. Security & Engineering Solutions
2. Our Products
3. Reach us
4. Why Choose Us
5. What Our Clients Say

H3(12)

1. BG IT Solutions
2. Global Presence
3. Cost Effective Solutions
4. Innovative Designs
5. Mobile Technology
6. Access Control System
7. Guard Patrol System
8. Security System Monitor

9. Visitors Control System

10. Best Customer Service

11. Excellent Track Record

12. Attention To Details.

H4(5)

1. About Us

2. Practice Areas

3. Contact Info

4. Newsletter

5. Follow Us

H5(0)

No h5 tag found

H6(0)

No h6 tag found

KEYWORD ANALYSIS

== *Single word keywords* ==

SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM
products	11	1.777 %	No
security	8	1.292 %	No
sit	7	1.131 %	No
amet	7	1.131 %	No
System	5	0.808 %	No

SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM
innovative	4	0.646 %	No
clients	4	0.646 %	No
offer	4	0.646 %	Yes
nec	4	0.646 %	No
ipsum	4	0.646 %	No
ensure	4	0.646 %	No
egestas	3	0.485 %	No
blandit	3	0.485 %	No
mauris	3	0.485 %	No
curabitur	3	0.485 %	No
vel	3	0.485 %	No
enim	3	0.485 %	No
augue	3	0.485 %	No
malesuada	3	0.485 %	No
Vestibulum	3	0.485 %	No

== Two words keywords ==

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
sit amet	7	1.131 %	No
our products	6	0.969 %	No
products are	4	0.646 %	No
laoreet Donec	3	0.485 %	No
blandit vel	3	0.485 %	No
nec blandit	3	0.485 %	No
nunc viverra	3	0.485 %	No
lacus nunc	3	0.485 %	No
Donec lacus	3	0.485 %	No
pede facilisis	3	0.485 %	No
facilisis laoreet	3	0.485 %	No
egestas et	3	0.485 %	No
amet pede	3	0.485 %	No
ipsum sit	3	0.485 %	No
in ipsum	3	0.485 %	No

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Morbi in	3	0.485 %	No
Ut ult	3	0.485 %	No
vel egestas	3	0.485 %	No
ult ultrices	3	0.485 %	No
et augue	3	0.485 %	No

== Three words keywords ==

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Donec lacus nunc	3	0.485 %	No
Vestibulum tincidunt malesuada	3	0.485 %	No
facilisis laoreet Donec	3	0.485 %	No
laoreet Donec lacus	3	0.485 %	No
sit amet pede	3	0.485 %	No
lacus nunc viverra	3	0.485 %	No
nunc viverra nec	3	0.485 %	No
viverra nec blandit	3	0.485 %	No
nec blandit vel	3	0.485 %	No
blandit vel egestas	3	0.485 %	No
vel egestas et	3	0.485 %	No
ipsum sit amet	3	0.485 %	No
egestas et augue	3	0.485 %	No
et augue Vestibulum	3	0.485 %	No
augue Vestibulum tincidunt	3	0.485 %	No
sit amet mauris	3	0.485 %	No
amet pede facilisis	3	0.485 %	No
curabitur sit amet	3	0.485 %	No
enim curabitur sit	3	0.485 %	No
ultrices enim curabitur	3	0.485 %	No

== Four words keywords ==

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
tellus Ut ult ultrices	3	0.485 %	No

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
vel egestas et augue	3	0.485 %	No
malesuada tellus Ut ult	3	0.485 %	No
Morbi in ipsum sit	3	0.485 %	No
in ipsum sit amet	3	0.485 %	No
ipsum sit amet pede	3	0.485 %	No
sit amet pede facilisis	3	0.485 %	No
amet pede facilisis laoreet	3	0.485 %	No
pede facilisis laoreet Donec	3	0.485 %	No
laoreet Donec lacus nunc	3	0.485 %	No
Donec lacus nunc viverra	3	0.485 %	No
lacus nunc viverra nec	3	0.485 %	No
nunc viverra nec blandit	3	0.485 %	No
viverra nec blandit vel	3	0.485 %	No
nec blandit vel egestas	3	0.485 %	No
blandit vel egestas et	3	0.485 %	No
facilisis laoreet Donec lacus	3	0.485 %	No
curabitur sit amet mauris	3	0.485 %	No
enim curabitur sit amet	3	0.485 %	No
et augue Vestibulum tincidunt	3	0.485 %	No

Alexa Information - www.bginfotech.com

General information

Domain name : www.bginfotech.com

Global Rank : No data

Daily Time on Site : No data

Search Traffic : No data

Bounce Rate : No data

Total sites link in : 1

Top 5 similar sites by audience overlap

SI	Similar sites	Overlap score
No data found!		

Top 5 keywords by traffic

Keywords	Search Traffic	Share of voice
No data found!		

Top 4 keyword gaps

Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
No data found!		

Top 4 easy-to-rank keywords

Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
No data found!		

Top 4 buyer keywords

Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
No data found!		

Top 4 optimization opportunities

Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
No data found!		

Top 5 referral sites

Sites by how many other sites drive traffic to them	Referral sites
No data found!	

Site flow

Visited just before & right after domain	Visited just before & right after domain percentage
No data found!	

Top 5 audience overlap

Similar sites to this site

Site's overlap score

Alexa rank

No data found!

Top 3 audience geography

Visitors by country

Visitors by country percentage

No data found!