

Domain Name - acrelinux.org

WhoIs Information

Registered : No

Domain age : 10 Years 0 Months 10 Days

Tech email : greysonsilva@gmail.com

Name servers : ns2.acrelinux.org

Created at : 16-Jan-2015

Changed at : 28-Dec-2019

Expire at : 16-Jan-2022

Registrant name : Greyson Farias da Silva

Admin name : Greyson Farias da Silva

Registrant country :  BR

Admin country :  BR

Registrant phone : +55.6832287364

Admin phone : +55.6832287364

Moz information

Subdomain normalized : 0.0190692395

Subdomain raw : 0.00190692395

Url normalized : 3.799999952

Url raw : 0.3799999952

Http status code : 200

Domain authority : 21

Page authority : 38

External quality link : 529

Links : 995

Link information

Backlink count : 529

Total link count : 995

Mozrank : 3.799999952



Aqui o código é apenas o início!

O que é o Acres Linux?

Artigos

Canais de comunicação



Instalando o GLPI 9.5.2 no Ubuntu 20.04.1 LTS Focal Fossa) no AWS da Amazon.

Publicado em 07/01/2020 por Daniel Guarná

GLPI é um aplicativo web-based para ajudar as empresas a gerir o seu sistema de informação. É solução capaz de construir um inventário de todos os ativos da organização e gerenciar tarefas administrativas e financeiras. As funcionalidades da solução ajudam os administradores de TI a criar um banco de dados de recursos técnicos, bem como, um gerenciamento e histórico de ações de manutenção. Os usuários podem declarar...



Instalação do ownCloud 10.5.0 (stable) no Ubuntu 20.04.1 LTS Focal Fossa) no AWS da Amazon.

Publicado em 29/07/2020 por Daniel Guarná

Instalação do ownCloud 10.5.0 (stable) no Ubuntu 20.04.1 LTS Focal Fossa) no AWS da Amazon.

Continue lendo

- Backup, Geral, Samba, Servidores
- Um comentário

Pesquisar

Pesquisar



Popular Comentários Tags



Instalando o driver NVIDIA no Fedora - Desktops 12/01/2018



NVIDIA Optimus no Fedora - Notebooks 12/01/2018



Astah - Software para modelagem UML no Linux 28/07/2014



CentOS 7 autenticando em domínio Active Directory/ Samba pelo Reelmd com Winbind

Mobile Friendly Check

Performance : 81.48

Emulated Form Factor **Mobile**

Locale **En-US**

Category **Performance**

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. **We are showing The 75th percentile of FCP and The 95th percentile of FID**

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. [Learn more](#)

2.5 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. [Learn more](#)

2.5 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more](#)

5.7 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. [Learn more](#)

2.9 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more](#)

2.8 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task.

[Learn more](#)

70 ms

Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn More](#)

24 requests • 471 KiB

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Potential savings of 1,430 ms

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve static assets with an efficient cache policy

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

21 resources found

Minimize third-party usage

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

0 ms

Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. [Learn More](#)

10 ms

First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn More](#)

4874.5 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

30 ms

JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

0.3 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

0 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Potential savings of 84 KiB

Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn More](#)

Potential savings of 23 KiB

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Total size was 471 KiB

Minimizes main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

1.1 s

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn More](#)

Potential savings of 170 KiB

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn More](#)

11 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer [Learn More](#)

398 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

IP Information

ISP : AS28209 Under Servicos de Internet Ltda

Ip : 189.113.6.109

Country :  BRAZIL

City : São Paulo

Region : São Paulo

Timezone : America/Sao_Paulo

Latitude : -23.5475

Longitude : -46.6361

Malware Scan Info

Google safe browser norton : Safe

Norton : untested

Search Engine Index Info

Google index : 1

Bing index : 1

Yahoo index : 0

Sites in Same IP

1. fedorabr.org

2. IP-Address-Lookup.com

Related Websites

1.

Social Network Information - acrelinux.org

Social Network Information

Facebook share : 0

Pinterest Info : 0

Facebook comment : 0

Xing Info : 0

Facebook like : 0

Buffer Info : 0

Reddit Score : 0

Reddit Ups : 0

Reddit downs : 0

Keyword & Meta Information - acrelinux.org

TITLE & METATAGS

Title

Aqui o código é apenas o início!

Viewport

width=device-width, initial-scale=1

Generator

WordPress 5.6.2

Blocked by robots.txt : No

Blocked by meta-robots : No

Links nofollowed by meta-robots : No

Total keywords : 542

Html headings

H1(1)

1.

H2(7)

1. Instalando o GLPI 9.5.2 no Ubuntu 20.04.1 LTS Focal Fossa) no AWS da Amazon.
2. Instalação do ownCloud 10.5.0 (stable) no Ubuntu 20.04.1 LTS Focal Fossa) no AWS da Amazon.
3. Instalar e configurar Stream Labels no OBS Studio
4. Como instalar e usar o mod multiplayer no Euro Truck Simulator e American Truck Simulator
5. Rocket League no Steam Play
6. Killing Floor 2 no Steam Play
7. Navegação por posts

H3(0)

No h3 tag found

H4(3)

1. Pesquisar
2. Baixe o Fedora 32
3. Baixe o Firefox Quantum

H5(0)

No h5 tag found

H6(0)

No h6 tag found

KEYWORD ANALYSIS

== *Single word keywords* ==

SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM
de	13	2.399 %	No
um	11	2.03 %	No
em	8	1.476 %	No
por	8	1.476 %	No
da	7	1.292 %	No
comentário	6	1.107 %	No
AWS	6	1.107 %	No
lendo	6	1.107 %	No
Continue	6	1.107 %	No
Greyson	6	1.107 %	No
Publicado	6	1.107 %	No
Fedora	5	0.923 %	No
Ubuntu	5	0.923 %	No
Fossa	5	0.923 %	No
Amazon	5	0.923 %	No
LTS	5	0.923 %	No
para	5	0.923 %	No
Focal	5	0.923 %	No
Desktop	5	0.923 %	No
Truck	4	0.738 %	No

== Two words keywords ==

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Continue lendo	6	1.107 %	No
Publicado em	6	1.107 %	No
20041 LTS	5	0.923 %	No
no Ubuntu	5	0.923 %	No
LTS Focal	5	0.923 %	No
Focal Fossa	5	0.923 %	No
Fossa no	5	0.923 %	No
no AWS	5	0.923 %	No
AWS da	5	0.923 %	No
da Amazon	5	0.923 %	No

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Ubuntu 20041	5	0.923 %	No
lendo Desktop	4	0.738 %	No
Deixe um	4	0.738 %	No
Truck Simulator	4	0.738 %	No
um comentário	4	0.738 %	No
por Greyson	4	0.738 %	No
Desktop Jogos	3	0.554 %	No
stable no	3	0.554 %	No
Instalando o	3	0.554 %	No
Jogos Deixe	3	0.554 %	No

== Three words keywords ==

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Ubuntu 20041 LTS	5	0.923 %	No
no Ubuntu 20041	5	0.923 %	No
AWS da Amazon	5	0.923 %	No
no AWS da	5	0.923 %	No
Fossa no AWS	5	0.923 %	No
Focal Fossa no	5	0.923 %	No
LTS Focal Fossa	5	0.923 %	No
20041 LTS Focal	5	0.923 %	No
Deixe um comentário	4	0.738 %	No
Continue lendo Desktop	4	0.738 %	No
Instalação do ownCloud	3	0.554 %	No
stable no Ubuntu	3	0.554 %	No
do ownCloud 1050	3	0.554 %	No
ownCloud 1050 stable	3	0.554 %	No
1050 stable no	3	0.554 %	No
lendo Desktop Jogos	3	0.554 %	No
Jogos Deixe um	3	0.554 %	No
Desktop Jogos Deixe	3	0.554 %	No
no OBS Studio	2	0.369 %	No
Euro Truck Simulator	2	0.369 %	No

== Four words keywords ==

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
no AWS da Amazon	5	0.923 %	No
Fossa no AWS da	5	0.923 %	No
Focal Fossa no AWS	5	0.923 %	No
LTS Focal Fossa no	5	0.923 %	No
20041 LTS Focal Fossa	5	0.923 %	No
Ubuntu 20041 LTS Focal	5	0.923 %	No
no Ubuntu 20041 LTS	5	0.923 %	No
Desktop Jogos Deixe um	3	0.554 %	No
Continue lendo Desktop Jogos	3	0.554 %	No
do ownCloud 1050 stable	3	0.554 %	No
ownCloud 1050 stable no	3	0.554 %	No
1050 stable no Ubuntu	3	0.554 %	No
stable no Ubuntu 20041	3	0.554 %	No
Instalação do ownCloud 1050	3	0.554 %	No
lendo Desktop Jogos Deixe	3	0.554 %	No
Jogos Deixe um comentário	3	0.554 %	No
Instalando o GLPI 952	2	0.369 %	No
Labels no OBS Studio	2	0.369 %	No
Stream Labels no OBS	2	0.369 %	No
da Amazon Publicado em	2	0.369 %	No

Alexa Information - acrelinux.org

General information

Domain name : acrelinux.org

Global Rank : No data

Daily Time on Site : No data

Search Traffic :

Bounce Rate :

Total sites link in : 660

Top 5 similar sites by audience overlap

Sl	Similar sites	Overlap score
1	zabbixbrasil.org	6.2
2	cdrtechnology.wordpress.com	6.0
3	francisco.pro	5.2
4	zerthox.github.io	4.5
5	robozera.com	4.3

Top 5 keywords by traffic

Keywords	Search Traffic	Share of voice
No data found!		

Top 4 keyword gaps

Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
install grafana centos 7	17	17
zabbix tutorial	16	21
install zabbix proxy 4.0 raspbian	16	6
zabbix proxy	15	22

Top 4 easy-to-rank keywords

Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
betterdiscord server	27	19
discord custom css	20	17
better discord mac	30	18
discord server folders	15	18

Top 4 buyer keywords

Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
screen stream mirroring free	8	62
apt-get proxy debian	6	50

Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
free discord themes	2	11

Top 4 optimization opportunities

Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
better discord	46	0.01%
falha de segmentação (imagem do núcleo gravada)	6	3.37%
zabbix grafana	23	0.3%
betterdiscord	44	0.02%

Top 5 referral sites

Sites by how many other sites drive traffic to them	Referral sites
acrelinux.org	6.2
zabbixbrasil.org	6.0
linuxnaweb.com	5.2
aeciopires.com	4.5
beard-design.com	4.3

Site flow

Visited just before & right after domain	Visited just before & right after domain percentage
No data found!	

Top 5 audience overlap

Similar sites to this site	Site's overlap score	Alexa rank
No data found!		

Top 3 audience geography

Visitors by country	Visitors by country percentage
No data found!	