

Contact: i@seoguide.co | Website: https://seoguide.co/ Generated At: 2021-03-10 17:21:36

Domain Name - ramlak.com

WhoIs Information
Registered : No
Domain age: 16 Years 1 Months 17 Days
Tech email: Select Contact Domain Holder link at https://www.godaddy.com/whois/results.aspx?domain=RAMLAK.COM
Name servers: NS26.DOMAINCONTROL.COM
Created at: 06-Mar-2009
Changed at: 06-Mar-2019
Expire at: 06-Mar-2028
Registrant name :
Admin name :
Registrant country : US
Admin country : ×
Registrant phone :
Admin phone :

Moz information
Subdomain normalized: 0
Subdomain raw: 0
Url normalized : 0.1000000015
Url raw : 0.009999999776
Http status code: 0
Domain authority: 1
Page authority: 1
External quality link: 0
Links: 0
Link information

Backlink count: 0

Total link count: 0

Mozrank: 0.100000015



About Us

Mobile Friendly Check

Performance: 89.13

Emulated Form Factor Mobile

Locale En-US

Category Performance

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. We are showing The 75th percentile of FCP and The 95th percentile of FID

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. Learn more

2.0 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. Learn more

2.0 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. Learn more

3.2 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. Learn more

4.1 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. Learn more

4.4 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task.

Learn more

350 ms

Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget json file. Learn More

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. **Learn More**

Potential savings of 0 ms

Efficiently encode images

Optimized images load faster and consume less cellular data. Learn More

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. **Learn**More

Uses efficient cache policy on static assets

A long cache lifetime can speed up repeat visits to your page. Learn More

1 resource found

Reduce the impact of third-party code

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. **Learn More**

Third-party code blocked the main thread for 290 ms

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. **Learn More**

0 ms

Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. **Learn More**

70 ms

First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. **Learn More**3990 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. **Learn More**

0.9 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. **Learn More**

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. **Learn More**

150 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. Learn More

Potential savings of 102 KiB

Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. **Learn More**

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. Learn More

Total size was 648 KiB

Minimizes main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. **Learn More**

1.5 s

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. **Learn More**

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Learn More

13 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer Learn More

226 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. **Learn More**Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn More

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. **Learn More**

IP Information	Malware Scan Info
ISP : AS26496 GoDaddy.com, LLC	Google safe browser norton : Safe
Ip : 198.71.232.3	Norton: untested
Country: UNITED STATES	
City: Ashburn	
Region : Virginia	Search Engine Index Info
Timezone : America/New_York	Google index : 5
Latitude : 39.0437	Bing index : 5
Longitude : -77.4875	Yahoo index : 0
Sites in Same IP	Related Websites

1.

1. coastcommunications.com

2. psp.network

- 3. snapnurse.com
- 4. getyourcovidshot.com

Social Network Information - ramlak.com

Social Network Information

Facebook share: 0 Pinterest Info: 0

Facebook comment: 0 Xing Info: 0

Facebook like: 0 Buffer Info: 0

Reddit Score: 0 Reddit Ups: 0

Reddit downs: 0

Keyword & Meta Information - ramlak.com

TITLE & METATAGS

Title

Ramlak Inc

Viewport

width=device-width, initial-scale=1

Author

Ramlak Inc

Generator

Starfield Technologies; Go Daddy Website Builder 8.0.0000

Twitter:card

summary

Twitter:title

RAMLAK

Twitter:description Professional and Personalized IT Consulting Twitter:image http://img1.wsimg.com/isteam/stock/2644 Twitter:image:alt RAMLAK **Theme-color** #FFFFFF Blocked by robots.txt: No **Blocked by meta-robots:** No Links nofollowed by meta-robots: No **Total keywords: 214** Html headings H1(2) 1. Professional and Personalized IT Consulting 2. Professional and Personalized IT Consulting H2(1) 1. About Us H3(2) 1. RAMLAK 2. RAMLAK H4(3) 1. Our Experience 2. Our Approach

3. Why Us?

H5(0)

No h5 tag found

H6(0)

No h6 tag found

KEYWORD ANALYSIS

== Single word keywords ==				
SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM	
Services	3	1.402 %	No	
Contact	3	1.402 %	No	
Careers	3	1.402 %	No	
Home	3	1.402 %	Yes	
RAMLAK	2	0.935 %	No	
success	2	0.935 %	Yes	
development	2	0.935 %	No	
includes	2	0.935 %	No	
comprehensive	2	0.935 %	No	
infrastructure	2	0.935 %	No	
build	2	0.935 %	No	
Consulting	2	0.935 %	No	
Personalized	2	0.935 %	No	
Professional	2	0.935 %	No	
schedule	1	0.467 %	No	
products	1	0.467 %	No	
quality	1	0.467 %	No	
suite	1	0.467 %	No	
offer	1	0.467 %	Yes	
project	1	0.467 %	No	

== Two words keywords ==				
2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM	
Home About	3	1.402 %	No	
About Services	3	1.402 %	No	
Services Contact	3	1.402 %	No	
Contact Us	3	1.402 %	No	
Us Careers	3	1.402 %	No	
infrastructure for	2	0.935 %	No	
us build	2	0.935 %	No	
to help	2	0.935 %	No	
369 0699	2	0.935 %	No	
225 369	2	0.935 %	No	
success 225	2	0.935 %	No	
your success	2	0.935 %	No	
for your	2	0.935 %	No	
the infrastructure	2	0.935 %	No	
build the	2	0.935 %	No	
Consulting Let	2	0.935 %	No	
Let us	2	0.935 %	No	
IT Consulting	2	0.935 %	No	
Personalized IT	2	0.935 %	No	
and Personalized	2	0.935 %	No	

== Three words keywords ==			
3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Home About Services	3	1.402 %	No
About Services Contact	3	1.402 %	No
Services Contact Us	3	1.402 %	No
Contact Us Careers	3	1.402 %	No
us build the	2	0.935 %	No
IT Consulting Let	2	0.935 %	No
success 225 369	2	0.935 %	No
your success 225	2	0.935 %	No

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
for your success	2	0.935 %	No
infrastructure for your	2	0.935 %	No
the infrastructure for	2	0.935 %	No
build the infrastructure	2	0.935 %	No
Let us build	2	0.935 %	No
Consulting Let us	2	0.935 %	No
Professional and Personalized	2	0.935 %	No
Personalized IT Consulting	2	0.935 %	No
and Personalized IT	2	0.935 %	No
225 369 0699	2	0.935 %	No
that will help	1	0.467 %	No
quality products that	1	0.467 %	No

== Four words keywords ==			
4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Home About Services Contact	3	1.402 %	No
About Services Contact Us	3	1.402 %	No
Services Contact Us Careers	3	1.402 %	No
IT Consulting Let us	2	0.935 %	No
your success 225 369	2	0.935 %	No
build the infrastructure for	2	0.935 %	No
us build the infrastructure	2	0.935 %	No
Let us build the	2	0.935 %	No
Consulting Let us build	2	0.935 %	No
for your success 225	2	0.935 %	No
Personalized IT Consulting Let	2	0.935 %	No
and Personalized IT Consulting	2	0.935 %	No
Professional and Personalized IT	2	0.935 %	No
the infrastructure for your	2	0.935 %	No
success 225 369 0699	2	0.935 %	No
infrastructure for your success	2	0.935 %	No
suite of quality products	1	0.467 %	No
a suite of quality	1	0.467 %	No

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
offer a suite of	1	0.467 %	No
also offer a suite	1	0.467 %	No

Alexa Information - ramlak.com

General information		
Domain name : ramlak.com	Global Rank : No data	
Daily Time on Site : No data	Search Traffic : No data	
Bounce Rate : No data	Total sites link in : No data	

Top 5 similar sites by audience overlap			
Sl Similar sites Overlap score			
No data found!			

Top 5 keywords by traffic			
Keywords	Search Traffic	Share of voice	
No data found!			

Top 4 keyword gaps		
Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
No data found!		

Top 4 easy-to-rank keywords		
Popular keywords within this site's competitive power	Relevance to this site	Search popularity
No data found!		

Top 4 buyer keywords		
Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
No data found!		

Top 4 optimization opportunities		
Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
No data found!		

Top 5 referral sites	
Sites by how many other sites drive traffic to them	Referral sites
No data found!	

Site flow	
Visited just before & right after domain	Visited just before & right after domain percentage
No data found!	

Top 5 audience overlap		
Similar sites to this site	Site's overlap score	Alexa rank
No data found!		

Top 3 audience geography	
Visitors by country	Visitors by country percentage
No data found!	