

## Domain Name - technogas40.ru

### WhoIs Information

**Registered :** No

**Domain age :** 0 Years 0 Months 0 Days

**Tech email :**

**Name servers :**

**Created at :**

**Changed at :**

**Expire at :**

**Registrant name :**

**Admin name :**

**Registrant country :**

**Admin country :**

**Registrant phone :**

**Admin phone :**

### Moz information

**Subdomain normalized :** 1.594594598

**Subdomain raw :** 0.1594594568

**Url normalized :** 3.700000048

**Url raw :** 0.3700000048

**Http status code :** 403

**Domain authority :** 16

**Page authority :** 37

**External quality link :** 26

**Links :** 760

### Link information

**Backlink count :** 26

**Total link count :** 760

**Mozrank :** 3.700000048



Компания «Техногаз Центр Плюс» является официальным авторизованным сервисным центром VAILLANT, PROTHERM, HAWIEM, BAXI, MORA-TOP, BOSCH...

#### ГАРАНТИЙНОЕ И СЕРВИСНОЕ ОБСЛУЖИВАНИЕ

Компания «Техногаз Центр Плюс» имеет лицензионный отдел сервисного и гарантийного обслуживания газового оборудования.

[Подробнее](#)

#### РЕМОНТ ГАЗОВЫХ И ЭЛЕКТРИЧЕСКИХ КОТЛОВ, ВОДОНАГРЕВАТЕЛЕЙ И ПАНЕЛ

Компания «Техногаз Центр Плюс» является крупнейшим сервисным центром по ремонту и обслуживанию газового оборудования.

[Подробнее](#)

#### ПРОСМОТРИТЕЛИТЕЛЬНЫЕ РАБОТЫ

При проведении каждой специализированной газо-наладочной работ. Вы получаете ГАРАНТИЮ завода-производителя данного газового оборудования.

[Подробнее](#)

#### ПОДБОР, РАСЧЕТ, МОНТАЖ ИНДИВИДУАЛЬНОЙ СИСТЕМЫ ОТОПЛЕНИЯ И СИСТЕМЫ ТЕПЛОЙ ПОД-

Наши высококвалифицированные специалисты смогут Вам подобрать оптимальное газовое оборудование.

[Подробнее](#)

## Mobile Friendly Check

Performance : 70.93

Emulated Form Factor **Mobile**

Locale **En-US**

Category **Performance**

### Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. **We are showing The 75th percentile of FCP and The 95th percentile of FID**


First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



## Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

## Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. [Learn more](#)

3.8 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. [Learn more](#)

3.8 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more](#)

4.7 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. [Learn more](#)

3.8 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more](#)

4.9 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task.

[Learn more](#)

110 ms

## Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn More](#)

37 requests • 695 KiB

### Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Potential savings of 4,510 ms

### Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn More](#)

### Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

### Serve static assets with an efficient cache policy

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

30 resources found

### Minimize third-party usage

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Third-party code blocked the main thread for 120 ms

### Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

0 ms

### Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. [Learn More](#)

10 ms

### First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn More](#)

7303 ms

### Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

130 ms

### JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

0.4 s

### Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

### Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

0 ms

### Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Potential savings of 102 KiB

### Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn More](#)

Potential savings of 18 KiB

### Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Total size was 695 KiB

### Minimizes main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

1.1 s

### Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn More](#)

Potential savings of 248 KiB

### Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn More](#)

23 chains found

### Avoids enormous network payloads

A large DOM will increase memory usage, cause longer [Learn More](#)

197 elements

### Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

### Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

### User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

#### IP Information

**ISP :** AS29182 JSC The First

**Ip :** 185.233.152.54

**Country :**  RUSSIAN FEDERATION

**City :** Moscow

**Region :** Moscow

**Timezone :** Europe/Moscow

**Latitude :** 55.7522

**Longitude :** 37.6156

#### Malware Scan Info

**Google safe browser norton :** Safe

**Norton :** untested

#### Search Engine Index Info

**Google index :** 9

**Bing index :** 15

**Yahoo index :** 13

#### Sites in Same IP

1. rndwork.com

2. yscandles.com

#### Related Websites

1.

3. autosport-plastic.com
4. alinakovban.com
5. bulatutemuratov.com
6. IP-Address-Lookup.com

## Social Network Information - technogas40.ru

Social Network Information	
<b>Facebook share</b> : 0	<b>Pinterest Info</b> : 0
<b>Facebook comment</b> : 0	<b>Xing Info</b> : 0
<b>Facebook like</b> : 0	<b>Buffer Info</b> : 0
<b>Reddit Score</b> : 0	<b>Reddit Ups</b> : 0
<b>Reddit downs</b> : 0	

## Keyword & Meta Information - technogas40.ru

TITLE & METATAGS
<b>Title</b>
<b>Viewport</b> width=device-width, initial-scale=1

<b>Blocked by robots.txt</b> : No
<b>Links nofollowed by meta-robots</b> : No

<b>Blocked by meta-robots</b> : No
<b>Total keywords</b> : 27

Html headings
<b>H1(0)</b>



No h1 tag found

**H2(0)**

No h2 tag found

**H3(0)**

No h3 tag found

**H4(4)**

1. Гарантийное и сервисное обслуживание
2. Ремонт газовых и электрических котлов, водонагревателей и плит
3. Пуско-наладочные работы
4. Подбор, расчет, монтаж индивидуальной системы отопления и системы «Теплый пол»

**H5(0)**

No h5 tag found

**H6(0)**

No h6 tag found

## KEYWORD ANALYSIS

== *Single word keywords* ==

<b>SINGLE KEYWORDS</b>	<b>OCCURRENCES</b>	<b>DENSITY</b>	<b>POSSIBLE SPAM</b>
и	8	29.63 %	No
оборудования	5	18.519 %	No
газового	5	18.519 %	No
Подробнее	4	14.815 %	No

<b>SINGLE KEYWORDS</b>	<b>OCCURRENCES</b>	<b>DENSITY</b>	<b>POSSIBLE SPAM</b>
Компания	4	14.815 %	No
«Техногаз	4	14.815 %	No
Центр	4	14.815 %	No
Плюс»	4	14.815 %	No
системы	3	11.111 %	No
нас	3	11.111 %	No
является	3	11.111 %	No
монтаж	3	11.111 %	No
высококвалифицированные	2	7.407 %	No
по	2	7.407 %	No
обслуживанию	2	7.407 %	No
ремонт	2	7.407 %	No
специалисты	2	7.407 %	No
Контакты	2	7.407 %	No
Главная	2	7.407 %	No
Услуги	2	7.407 %	No

*== Two words keywords ==*

<b>2 WORD PHRASES</b>	<b>OCCURRENCES</b>	<b>DENSITY</b>	<b>POSSIBLE SPAM</b>
газового оборудования	5	18.519 %	No
Центр Плюс»	4	14.815 %	No
«Техногаз Центр	4	14.815 %	No
Компания «Техногаз	4	14.815 %	No
оборудования Подробнее	3	11.111 %	No
нас Контакты	2	7.407 %	No
сервисным центром	2	7.407 %	No
высококвалифицированные специалисты	2	7.407 %	No
Плюс» является	2	7.407 %	No
ремонт и	2	7.407 %	No
О нас	2	7.407 %	No
Сертификаты О	2	7.407 %	No
Услуги Сертификаты	2	7.407 %	No

<b>2 WORD PHRASES</b>	<b>OCCURRENCES</b>	<b>DENSITY</b>	<b>POSSIBLE SPAM</b>
Главная Услуги	2	7.407 %	No
работы При	1	3.704 %	No
по ремонту	1	3.704 %	No
При проведении	1	3.704 %	No
проведении нашими	1	3.704 %	No
нашими специалистами	1	3.704 %	No
Подробнее Пусконаладочные	1	3.704 %	No

*== Three words keywords ==*

<b>3 WORD PHRASES</b>	<b>OCCURRENCES</b>	<b>DENSITY</b>	<b>POSSIBLE SPAM</b>
«Техногаз Центр Плюс»	4	14.815 %	No
Компания «Техногаз Центр	4	14.815 %	No
газового оборудования Подробнее	3	11.111 %	No
Главная Услуги Сертификаты	2	7.407 %	No
Услуги Сертификаты О	2	7.407 %	No
Сертификаты О нас	2	7.407 %	No
О нас Контакты	2	7.407 %	No
Центр Плюс» является	2	7.407 %	No
Телефон 8 4842	1	3.704 %	No
по ремонту и	1	3.704 %	No
ремонту и обслуживанию	1	3.704 %	No
и обслуживанию газового	1	3.704 %	No
обслуживанию газового оборудования	1	3.704 %	No
Пусконаладочные работы При	1	3.704 %	No
оборудования Подробнее Пусконаладочные	1	3.704 %	No
Подробнее Пусконаладочные работы	1	3.704 %	No
сервисным центром по	1	3.704 %	No
работы При проведении	1	3.704 %	No
При проведении нашими	1	3.704 %	No
проведении нашими специалистами	1	3.704 %	No

== Four words keywords ==

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Компания «Техногаз Центр Плюс»	4	14.815 %	No
«Техногаз Центр Плюс» является	2	7.407 %	No
Главная Услуги Сертификаты О	2	7.407 %	No
Услуги Сертификаты О нас	2	7.407 %	No
Сертификаты О нас Контакты	2	7.407 %	No
Телефон 8 4842 548078	1	3.704 %	No
газового оборудования Подробнее Пусконаладочные	1	3.704 %	No
по ремонту и обслуживанию	1	3.704 %	No
ремонту и обслуживанию газового	1	3.704 %	No
и обслуживанию газового оборудования	1	3.704 %	No
обслуживанию газового оборудования Подробнее	1	3.704 %	No
Подробнее Пусконаладочные работы При	1	3.704 %	No
оборудования Подробнее Пусконаладочные работы	1	3.704 %	No
сервисным центром по ремонту	1	3.704 %	No
Пусконаладочные работы При проведении	1	3.704 %	No
работы При проведении нашими	1	3.704 %	No
При проведении нашими специалистами	1	3.704 %	No
проведении нашими специалистами пусконаладочных	1	3.704 %	No
нашими специалистами пусконаладочных работ	1	3.704 %	No
центром по ремонту и	1	3.704 %	No

Alexa Information - technogas40.ru

General information

<b>Domain name :</b> technogas40.ru	<b>Global Rank :</b> No data
<b>Daily Time on Site :</b> No data	<b>Search Traffic :</b> No data
<b>Bounce Rate :</b> No data	<b>Total sites link in :</b> 156

Top 5 similar sites by audience overlap		
SI	Similar sites	Overlap score
No data found!		

Top 5 keywords by traffic		
Keywords	Search Traffic	Share of voice
No data found!		

Top 4 keyword gaps		
Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
No data found!		

Top 4 easy-to-rank keywords		
Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
No data found!		

Top 4 buyer keywords		
Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
No data found!		

Top 4 optimization opportunities		
Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
No data found!		

Top 5 referral sites

**Sites by how many other sites drive traffic to them**

**Referral sites**

No data found!

Site flow

**Visited just before & right after domain**

**Visited just before & right after domain percentage**

No data found!

Top 5 audience overlap

**Similar sites to this site**

**Site's overlap score**

**Alexa rank**

No data found!

Top 3 audience geography

**Visitors by country**

**Visitors by country percentage**

No data found!