

Contact: i@seoguide.co | Website: https://seoguide.co/ Generated At: 2021-03-11 09:08:03

Domain Name - powernetco.com

WhoIs Information	Moz information
Registered : No	Subdomain normalized : 2.965925932
Domain age : 11 Years 2 Months 13 Days	Subdomain raw : 0.296592623
Tech email : REDACTED FOR PRIVACY	Url normalized : 3.599999905
Name servers : ns-1534.awsdns-63.org	Url raw : 0.3600000143
Created at : 07-Feb-2014	Http status code : 301
Changed at : 09-Jan-2021	Domain authority : 33
Expire at : 07-Feb-2022	Page authority : 36
Registrant name : REDACTED FOR PRIVACY	External quality link : 536
Admin name : REDACTED FOR PRIVACY	Links : 3489
Registrant country : 🜉 US	Tink information
Admin country : 💌 REDACTED FOR PRIVACY	Link information
Registrant phone : REDACTED FOR PRIVACY	Backlink count : 536
Admin phone : REDACTED FOR PRIVACY	Total link count : 3,489
	Mozrank : 3.59999905

Mobile Friendly Check

Performance : 31.44

Emulated Form Factor Mobile

Locale En-US

Category Performance

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. We are showing The 75th percentile of FCP and The 95th percentile of FID


First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over

the last 30 days.To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

Metric Category

First Input Delay (FID)

Metric Category

Overall Category

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. Learn more

4.0 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. Learn more

4.0 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. Learn more

6.0 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. Learn more

10.5 s

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. Learn more

14.0 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task. Learn more

330 ms

Audit Data

Keep request counts low and transfer sizes small

To set budgets for the quantity and size of page resources, add a budget.json file. Learn More

143 requests • 2,684 KiB

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn More

Efficiently encode images

Optimized images load faster and consume less cellular data. Learn More

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn More

Serve static assets with an efficient cache policy

A long cache lifetime can speed up repeat visits to your page. Learn More

84 resources found

Reduce the impact of third-party code

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn More

Third-party code blocked the main thread for 390 ms

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. **Learn More**

0 ms

Estimated Input Latency

Estimated Input Latency is an estimate of how long your app takes to respond to user input, in milliseconds, during the busiest 5s window of page load. If your latency is higher than 50 ms, users may perceive your app as laggy. **Learn More**

110 ms

First Contentful Paint (3G)

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. Learn More

8790 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

890 ms

Reduce JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

3.0 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn More

Potential savings of 84 KiB

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. **Learn More**

0 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. Learn More

Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. Learn More

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. Learn More

Total size was 2,684 KiB

Minimize main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

6.8 s

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn More

Potential savings of 150 KiB

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn More

7 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer Learn More

612 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn More

Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn More

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn More

174 user timings

IP Information	Malware Scan Info
ISP : AS15169 Google LLC	Google safe browser norton : Safe
Ip : 23.236.62.147	Norton : untested
Country : 🔤 UNITED STATES	
City : Council Bluffs	
Region : Iowa	Search Engine Index Info
Timezone : America/Chicago	Google index : 185
Latitude : 41.2619	Bing index : 0
Longitude : -95.8608	Yahoo index : 14,500
Sites in Same IP	Related Websites
No data to show	1.

Social Network Information - powernetco.com

Social Network Information		
Facebook share : 0	Pinterest Info : 1	
Facebook comment : 0	Xing Info: 0	
Facebook like : 0	Buffer Info : 0	

Reddit Ups : 0

Reddit downs : 0

Keyword & Meta Information - powernetco.com

TITLE & METATAGS

Title Home | Powernet Corporate

Viewport width=device-width, initial-scale=1

Generator

Wix.com Website Builder

Format-detection

telephone=no

Skype_toolbar skype_toolbar_parser_compatible

Wix-dynamic-custom-elements

DropDownMenu

Twitter:card summary_large_image

Twitter:title Home | Powernet Corporate

Blocked by robots.txt : No

Blocked by meta-robots : No

Links nofollowed by meta-robots : No

Total keywords : 328

Html headings

H1(0)

No h1 tag found

H2(4)

1. IT Managed Services

2. At home or in the office, we have the technology you need to achieve your business goals

- 3. Committed to Excellence
- 4. Talk To An Expert!

H3(1)

1. "We've appreciated Ken's [Powernet Engineer] assistance this past month. I cannot say enough great things about him. He is always on time, stays in communication with us, knocks out everything we throw at him, and goes the extra mile without hesitation"

H4(1)

1. Our Solutions

H5(0)

No h5 tag found

H6(6)
1. Voice
2. Internet & Wi-Fi
3. Managed Services
4. Bundles
5. Checkers & Rally's Restaurants

KEYWORD ANALYSIS

== Single word keywords ==				
SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM	
	6	1.829 %	No	
Learn	6	1.829 %	No	
services	4	1.22 %	No	
Powernet	4	1.22 %	No	
Services	3	0.915 %	No	
technology	3	0.915 %	No	
Managed	3	0.915 %	No	
WiFi	3	0.915 %	No	
PNG	2	0.61 %	No	
connect	2	0.61 %	No	
office	2	0.61 %	No	
managed	2	0.61 %	No	
Public	2	0.61 %	No	
Login	2	0.61 %	No	
Telecommunications	2	0.61 %	No	
Internet	2	0.61 %	No	
Solutions	2	0.61 %	No	
Contact	2	0.61 %	No	
Voice	2	0.61 %	No	
Partners	2	0.61 %	No	

== Two words keywords ==			
2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Learn More	6	1.829 %	No
Managed Services	3	0.915 %	No
More	3	0.915 %	No
the office	2	0.61 %	No

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
to connect	2	0.61 %	No
in the	2	0.61 %	No
managed services	2	0.61 %	No
IT managed	2	0.61 %	No
Solutions Voice	2	0.61 %	No
IT Managed	2	0.61 %	No
communication with	1	0.305 %	No
without hesitation	1	0.305 %	No
enough great	1	0.305 %	No
great things	1	0.305 %	No
things about	1	0.305 %	No
about him	1	0.305 %	No
him He	1	0.305 %	No
He is	1	0.305 %	No
is always	1	0.305 %	No
always on	1	0.305 %	No

== Three words keywords ==			
3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Learn More	3	0.915 %	No
in the office	2	0.61 %	No
IT Managed Services	2	0.61 %	No
IT managed services	2	0.61 %	No
He is always	1	0.305 %	No
stays in communication	1	0.305 %	No
time stays in	1	0.305 %	No
on time stays	1	0.305 %	No
always on time	1	0.305 %	No
is always on	1	0.305 %	No
him He is	1	0.305 %	No
communication with us	1	0.305 %	No
about him He	1	0.305 %	No
things about him	1	0.305 %	No

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
great things about	1	0.305 %	No
enough great things	1	0.305 %	No
say enough great	1	0.305 %	No
cannot say enough	1	0.305 %	No
I cannot say	1	0.305 %	No
in communication with	1	0.305 %	No

== Four words keywords == POSSIBLE **OCCURRENCES 4 WORD PHRASES** DENSITY **SPAM** 1 0.305 % IT Managed Services No 1 0.305 % He is always on No in communication with us 1 0.305 % No stays in communication with 1 0.305 % No time stays in communication 1 0.305 % No 1 0.305 % on time stays in No 1 0.305 % always on time stays No is always on time 1 0.305 % No 1 0.305 % him He is always No with us knocks out 1 0.305 % No about him He is 1 0.305 % No things about him He 1 0.305 % No great things about him 1 0.305 % No enough great things about 1 0.305 % No say enough great things 1 0.305 % No cannot say enough great 1 0.305 % No 1 0.305 % I cannot say enough No communication with us knocks 1 0.305 % No us knocks out everything 1 0.305 % No

1

0.305 %

No

past month I cannot

Alexa Information - powernetco.com

General information		
Domain name : powernetco.com	Global Rank : # 681,109	
Daily Time on Site : 2:05	Search Traffic :	
Bounce Rate : 57.1%	Total sites link in : 17	

Top 5 similar sites by audience overlap		
Sl	Similar sites	Overlap score
1	hitechcommunications.us	28.7
2	msiatlanta.com	22.5
3	amtelphonesystems.com	15.5
4	telephoneconcepts.com	14.9
5	acticor.com	14.7

	Top 5 keywords by traffic	
KeywordsSearch TrafficShare of voice		Share of voice
No data found!		

Top 4 keyword gaps		
Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
allworx default password	23	11
allworx call supervision	22	6
allworx portal	21	16
default ip for allworx	21	4

Top 4 easy-to-rank keywords		
Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
powernet baseball	13	14

Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
softball ball caddy	12	6
повернет	33	11
baseball net	26	21

Top 4 buyer keywords		
Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
millennium solutions	9	40
atlanta it solutions	8	30
oss billing solutions	7	37
plant telephone company tariff ga	7	44

Top 4 optimization opportunities		
Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
power net	19	2.68%
maxis360	15	2.1%
communication png	18	0.79%
portal png	18	0.69%

Top 5 referral sites		
Sites by how many other sites drive traffic to them	Referral sites	
powernetco.com	28.7	
msiatlanta.com	22.5	
telephoneconcepts.com	15.5	
amtelphonesystems.com	14.9	
hitechcommunications.us	14.7	

Site flow	
Visited just before & right after domain	Visited just before & right after domain percentage
googlecom	50%

Top 5 audience overlap		
Similar sites to this site	Site's overlap score	Alexa rank
No data found!		

Top 3 audience geography	
Visitors by country	Visitors by country percentage
No data found!	