

Domain Name - meevo.net

WhoIs Information

Registered : No

Domain age : 18 Years 1 Months 6 Days

Tech email : Select Contact Domain Holder link at
<https://www.godaddy.com/whois/results.aspx?domain=meevo.net>

Name servers :
ROBERT.NS.CLOUDFLARE.COM

Created at : 22-Dec-2006

Changed at : 23-Dec-2022

Expire at : 22-Dec-2023

Registrant name : Registration Private

Admin name : Registration Private

Registrant country :  US

Admin country :  US

Registrant phone : +1.4806242599

Admin phone : +1.4806242599

Moz information

Subdomain normalized : 1.799999952

Subdomain raw : 0.1800000072

Url normalized : 3.5

Url raw : 0.349999994

Http status code : 15

Domain authority : 18

Page authority : 35

External quality link : 15

Links : 331

Link information

Backlink count : 15

Total link count : 331

Mozrank : 3.5

Utilisez le code promo **BLACKWEEK** pour bénéficier de 21% de réduction supplémentaire.

18h 10m 11s



Rechercher un produit...

0,00€

Accueil Notre histoire Nos produits Panier

Livraison gratuite sur votre 1ère commande

Meevo.net
OFFRE SPÉCIALE
BLACK FRIDAY
JUSQU'À 70% DE PROMO

Parcourir nos produits

The banner features a yellow background with black and white geometric patterns. It includes images of a woman in a blue jacket and yellow beanie holding shopping bags. A green button with the text 'Parcourir nos produits' is centered at the bottom of the banner.

MEILLEURES VENTES



Mobile Friendly Check

Performance : 36.83

Emulated Form Factor **Mobile**

Locale **En-US**

Category **Performance**

Field Data

Over the last 30 days, the field data shows that this page has an **Moderate** speed compared to other pages in the Chrome User Experience Report. We are showing **The 75th percentile of FCP and The 95th percentile of FID**

First Contentful Paint (FCP)

2134 ms

Metric Category


AVERAGE

First Input Delay (FID)

Metric Category

Overall Category

AVERAGE



Origin Summary

All pages served from this origin have a **Slow** speed compared to other pages in the Chrome User Experience Report Over the last 30 days. To view suggestions tailored to each page, analyze individual page URLs.

First Contentful Paint (FCP)

2796 ms

Metric Category

AVERAGE

First Input Delay (FID)

31 ms

Metric Category

FAST

Overall Category

SLOW

Lab Data

First Contentful Paint

First Contentful Paint marks the time at which the first text or image is painted. [Learn more](#)

3.2 s

First Meaningful Paint

First Meaningful Paint measures when the primary content of a page is visible. [Learn more](#)

3.2 s

Speed Index

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more](#)

5.2 s

First CPU Idle

First CPU Idle marks the first time at which the page's main thread is quiet enough to handle input. [Learn more](#)

Time to Interactive

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more](#)

11.0 s

Max Potential First Input Delay

The maximum potential First Input Delay that your users could experience is the duration, in milliseconds, of the longest task. [Learn more](#)

240 ms

Audit Data

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Potential savings of 520 ms

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Uses efficient cache policy on static assets

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

9 resources found

Reduce the impact of third-party code

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Third-party code blocked the main thread for 360 ms

Network Round Trip Times

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

20 ms

Total Blocking Time

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

730 ms

Reduce JavaScript execution time

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps

with this. [Learn More](#)

3.1 s

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Potential savings of 32 KiB

Server Backend Latencies

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

240 ms

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn More](#)

Potential savings of 75 KiB

Avoids enormous network payloads

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Total size was 1,202 KiB

Minimize main-thread work

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

6.5 s

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn More](#)

33 chains found

Avoids enormous network payloads

A large DOM will increase memory usage, cause longer [Learn More](#)

512 elements

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Potential savings of 630 ms

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

IP Information

ISP : AS13335 Cloudflare, Inc.

Ip : 172.67.73.179

Country :  UNITED STATES

City : San Francisco

Region : California

Timezone : America/Los_Angeles

Latitude : 37.7621

Longitude : -122.3971

Malware Scan Info

Google safe browser norton : Failed

Norton : untested

Search Engine Index Info

Google index : 0

Bing index : About 172

Yahoo index : About 172 search

Sites in Same IP

1. of.tv

2. onlyfans.com

3. youtube.com

4. themes.artbees.net

5. chasabl.com

Related Websites

1.

6. curvedream.com

7. foam-expo-europe.com

Social Network Information - meevo.net

Social Network Information

Facebook share : 0

Pinterest Info : 0

Facebook comment : 0

Xing Info : 0

Facebook like : 0

Buffer Info : 0

Reddit Score : 0

Reddit Ups : 0

Reddit downs : 0

Keyword & Meta Information - meevo.net

TITLE & METATAGS

Title

Meevo

Viewport

height=device-height, width=device-width, initial-scale=1

Robots

max-image-preview:large

Generator

Elementor 3.17.3; features: e_dom_optimization, e_optimized_assets_loading, e_optimized_css_loading, additional_custom_breakpoints; settings: css_print_method-external, google_font-enabled, font_display-swap

Msapplication-TileImage

https://meevo.net/wp-content/uploads/2022/12/M_32x32.png

Blocked by robots.txt : No

Blocked by meta-robots : No

Links nofollowed by meta-robots : No

Total keywords : 208

Html headings

H1(0)

No h1 tag found

H2(4)

1. MEILLEURES VENTES
2. Retour facile
3. Un service client réactif
4. Qualité au rendez vous

H3(0)

No h3 tag found

H4(0)

No h4 tag found

H5(0)

No h5 tag found

H6(0)

No h6 tag found

KEYWORD ANALYSIS

== Single word keywords ==

SINGLE KEYWORDS	OCCURRENCES	DENSITY	POSSIBLE SPAM
de	8	3.846 %	No
options	4	1.923 %	No
reviews	4	1.923 %	No
Recherche	4	1.923 %	No
au	3	1.442 %	No
nous	3	1.442 %	No
des	3	1.442 %	No
nos	3	1.442 %	No
produits	3	1.442 %	No
Choix	3	1.442 %	No
pour	3	1.442 %	No
le	3	1.442 %	No
Skip	2	0.962 %	No
avant	2	0.962 %	No
En	2	0.962 %	No
Contactez	2	0.962 %	No
Panier	2	0.962 %	No
sans	2	0.962 %	No
Nous	2	0.962 %	No
Livraison	2	0.962 %	No

== Two words keywords ==

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Choix des	3	1.442 %	No
des options	3	1.442 %	No
Recherche pour	2	0.962 %	No
Contactez nous	2	0.962 %	No
nos produits	2	0.962 %	No
pour Recherche	2	0.962 %	No
Skip to	2	0.962 %	No
en moins	1	0.481 %	No
répondons du	1	0.481 %	No

2 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
au 03	1	0.481 %	No
03 59	1	0.481 %	No
59 55	1	0.481 %	No
55 40	1	0.481 %	No
40 99	1	0.481 %	No
99 Nous	1	0.481 %	No
heures pour	1	0.481 %	No
Nous répondons	1	0.481 %	No
du Lundi	1	0.481 %	No
Appelez nous	1	0.481 %	No
Lundi au	1	0.481 %	No

== Three words keywords ==

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Choix des options	3	1.442 %	No
Recherche pour Recherche	2	0.962 %	No
55 40 99	1	0.481 %	No
le controle qualité	1	0.481 %	No
controle qualité Contact	1	0.481 %	No
qualité Contact Appelez	1	0.481 %	No
Contact Appelez nous	1	0.481 %	No
Appelez nous au	1	0.481 %	No
nous au 03	1	0.481 %	No
au 03 59	1	0.481 %	No
03 59 55	1	0.481 %	No
59 55 40	1	0.481 %	No
40 99 Nous	1	0.481 %	No
de passer le	1	0.481 %	No
99 Nous répondons	1	0.481 %	No
Nous répondons du	1	0.481 %	No
répondons du Lundi	1	0.481 %	No
du Lundi au	1	0.481 %	No
Lundi au Samedi	1	0.481 %	No

3 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
au Samedi de	1	0.481 %	No

== Four words keywords ==

4 WORD PHRASES	OCCURRENCES	DENSITY	POSSIBLE SPAM
Skip to navigation Skip	1	0.481 %	No
03 59 55 40	1	0.481 %	No
de passer le controle	1	0.481 %	No
passer le controle qualité	1	0.481 %	No
le controle qualité Contact	1	0.481 %	No
controle qualité Contact Appelez	1	0.481 %	No
qualité Contact Appelez nous	1	0.481 %	No
Contact Appelez nous au	1	0.481 %	No
Appelez nous au 03	1	0.481 %	No
nous au 03 59	1	0.481 %	No
au 03 59 55	1	0.481 %	No
59 55 40 99	1	0.481 %	No
minutieusement avant de passer	1	0.481 %	No
55 40 99 Nous	1	0.481 %	No
40 99 Nous répondons	1	0.481 %	No
99 Nous répondons du	1	0.481 %	No
Nous répondons du Lundi	1	0.481 %	No
répondons du Lundi au	1	0.481 %	No
du Lundi au Samedi	1	0.481 %	No
Lundi au Samedi de	1	0.481 %	No

Alexa Information - meevo.net

General information

Domain name : meevo.net

Global Rank : No data

Daily Time on Site : No data

Search Traffic : No data

Bounce Rate : No data

Total sites link in : No data

Top 5 similar sites by audience overlap

SI	Similar sites	Overlap score
No data found!		

Top 5 keywords by traffic

Keywords	Search Traffic	Share of voice
No data found!		

Top 4 keyword gaps

Keywords driving traffic to competitors, but not to this site	Avg. traffic to competitors	Search popularity
No data found!		

Top 4 easy-to-rank keywords

Popular keywords within this site`s competitive power	Relevance to this site	Search popularity
No data found!		

Top 4 buyer keywords

Keywords that show a high purchase intent	Avg. traffic to competitors	Organic competition
No data found!		

Top 4 optimization opportunities

Very popular keywords already driving some traffic to this site	Search popularity	Organic share of voice
No data found!		

Top 5 referral sites

Sites by how many other sites drive traffic to them	Referral sites
No data found!	

Site flow	
Visited just before & right after domain	Visited just before & right after domain percentage
No data found!	

Top 5 audience overlap		
Similar sites to this site	Site's overlap score	Alexa rank
No data found!		

Top 3 audience geography	
Visitors by country	Visitors by country percentage
No data found!	